ANNALES ZOOLOGICI FENNICI

Vol. 25 • 1988

UBLISHED JOINTLY BY

NNISH ACADEMY OF SCIENCES
OCIETAS PRO FAUNA ET FLORA FENNICA

SOCIETAS SCIENTIARUM FENNICA
SOCIETAS BIOLOGICA FENNICA VANAMO

LUHANK. 15 B, SF-00170 HELSINKI, FINLAND

Contents

Aschan, M.: Soft bottom macrobenthos in a Baltic archipelago: Spatial variation and optimal sampling strategy 153–164
Banci, V. & Harestad, A.: Reproduction and natality of wolverine (*Gulo gulo*) in Yukon..... 265–270
Chesson, P. L. & Huntly, N.: Community consequences of life-history traits in a variable environment 5– 16
Eloranta, P.: *Kellicottia bostoniensis* (Rousselet), a planktonic rotifer species new to Finland..... 249–252
Grubb, P. J.: The uncoupling of disturbance and recruitment, two kinds of seed bank, and persistence of plant populations at the regional and local scales..... 23– 36
Hanski, I.: Four kinds of extra long diapause in insects: a review of theory and observations 37– 53
Hassell, M. P. & May, R. M.: Spatial heterogeneity and the dynamics of parasitoid-host systems. 55– 61
Hietanen, B., Sunila, I. & Kristoffersson, R.: Toxic effects of zinc on the common mussel *Mytilus edulis* L. (Bivalvia) in brackish water. I. Physiological and histopathological studies... 341–347
Hietanen, B., Sunila, I. & Kristoffersson, R.: Toxic effects of zinc on the common mussel *Mytilus edulis* L. (Bivalvia) in brackish water. II. Accumulation studies..... 349–352
Hoikkala, A.: The importance of different courtship stimuli in the mating behaviour of European species of the *Drosophila virilis* group 257–263
Ives, A. R.: Aggregation and the coexistence of competitors 75– 88
Laine, A., Orell, M. & Itämies, J.: The distribution and ecology of the mite *Ameronothrus dubinini* Sitnikova 1977 (*Acarina, Oribatei*) in northern Finland 253–256
Liljelund, L.-E., Ågren, G. I. & Fagerström, T.: Succession in stationary environments generated by interspecific differences in life-history parameters 17– 22
Marino, P. C.: Coexistence on divided habitats: mosses in the family Splachnaceae 89– 98
Meriläinen J. J.: Meiobenthos in relation to macrobenthic communities in a low saline, partly acidified estuary, Bothnian Bay, Finland..... 277–292
Mikkola, K. & Albrecht, A.: The melanism of *Adalia bipunctata* around the Gulf of Finland as an industrial phenomenon (Coleoptera, Coccinellidae) 177–185
Nakari, T., Soivio, A. & Pesonen, S.: The ovarian development and spawning time of *Salmo gairdneri* R. reared in advanced and delayed annual photoperiod cycles at naturally fluctuating water temperature in Finland..... 335–340
Niemelä, J.: Habitat occupancy of carabid beetles on small islands and the adjacent Åland mainland, SW Finland 121–131
Niemelä, J., Haila, Y. & Halme, E.: Carabid beetles on isolated Baltic islands and on the adjacent Åland mainland: variation in colonization success 133–143
Niemelä, J., Haila, Y., Halme, E., Lahti, T., Pajunen, T. & Punttila, P.: The distribution of carabid beetles in fragments of old coniferous taiga and adjacent managed forest 107–119
Nummelin, M., Spence, J. R. & Vepsäläinen, K.: Infection of gerrid eggs (Heteroptera: Gerridae) by the parasitoid *Tiphodytes gerriphagus* Marchal (Hymenoptera: Scelionidae) in Finland..... 299–302
Otronen, M.: The effect of body size on the outcome of fights in burying beetles (*Nicrophorus*) ... 191–201
Pamilo, P.: Genetic variation in heterogeneous environments..... 99–106
Piironen, J. & Holopainen, I. J.: Length structure and reproductive potential of crucian carp (*Carassius carassius* (L.)) populations in some small forest ponds..... 203–208
Raitaniemi, J., Rask, M. & Vuorinen, P. J.: The growth of perch, *Perca fluviatilis* L., in small Finnish lakes at different stages of acidification..... 209–219
Saali, K. & Juutilainen, J.: Orientation of chick embryos in static magnetic fields 187–189
Skarén, U.: Chlorinated hydrocarbons, PCBs and cesium isotopes in otters (*Lutra lutra* L.) from Central Finland..... 271–276
Taylor, A. D.: Large-scale spatial structure and population dynamics in arthropod predator-prey systems 63– 74
Terhivuo, J.: Phenology of spawning for the Common Frog (*Rana temporaria* L.) in Finland from 1846 to 1986 165–175
Terhivuo, J.: The Finnish Lumbricidae (Oligochaeta) fauna and its formation..... 229–247
Terhivuo, J.: Morphological and morphometric variation of the parthenogenetic earthworm *Dendrobaena octaedra* (Sav.) (Oligochaeta, Lumbricidae) in eastern Fennoscandia 303–320
Tuomi, J., Jormalainen, V. & Ilvessalo, H.: Growth, food consumption and reproductive tactics of the aquatic isopod *Idotea baltica* 145–151
Ulfvens, J.: Nest characteristics and nest survival in the horned grebe *Podiceps auritus* and great crested grebe *Podiceps cristatus* in a Finnish archipelago..... 293–298
Voipio, P.: Comments on the implication of genetic ingredients in animal population dynamics... 321–333
Ylönen, H.: Diel activity and demography in an enclosed population of the vole *Clethrionomys glareolus* (Schreb.)..... 221–228